

Prostate cancer treatment-related lymphedema patient symptom screener.

CHECK ALL THAT APPLY

Abdominal area

- Heaviness in abdomen
 Firmness across abdomen
 Pitting across waistband
 Underwear band fitting tighter

Genital area

- Scrotal swelling
 Sexual dysfunction
 Genital fullness
 Bowel/bladder dysfunction

Legs

- Heaviness in thighs/legs
 Tightness in thighs/legs
 Tingling/numbness in thighs/legs

Skin

- Skin firmness/tissue changes
 Persistent bloating



1 in 8 men

Approximately one in eight men will be diagnosed with prostate cancer in their lifetimes.¹ Many of these men undergo radiation, surgery and chemotherapy to treat the cancer leaving them with lymphatic system damage known as lymphedema.

Veterans have been show to have a higher rate of prostate cancer—one in five men²—and studies show lymphedema affects more than 20% of prostate cancer survivors who underwent radical prostatectomy.³ Lymphedema is progressive and if left untreated, it could lead to permanent damage to surrounding tissue and lymph vessels.

Kylee™ is an easy-to-use, free mobile app to help you understand chronic swelling, track and manage your symptoms and live your best life! Download Kylee today!



Notes/additional symptoms:

To learn more about lymphedema and effective treatment solutions, visit tactilemedical.com/lowerbody.

Please refer to the privacy policy found in the Kylee app or tactilemedical.com/kylee for terms and conditions.

1. Cancer.org
2. DOI: 10.1158/1055-9965.EPI-09-0041 Published June 2009
3. Raskin: *Journal of Urology* 2019 DOI: 10.1097/01.JU.0000556678.70718.d6

Tactile Medical
3701 Wayzata Blvd, Suite 300
Minneapolis, MN 55416 USA
T: 612.355.5100
F: 612.355.5101

Customer Service
Toll Free Tel: 833.382.2845 (833.3TACTILE)
Toll Free Fax: 866.435.3949
Hours: 7 a.m. to 7 p.m. CT, Monday–Friday
tactilemedical.com

